

2023 年度

Hayashi T,Hiranaka T,Fujishiro T,Okamoto K,Koide M.Restricted Kinematically Aligned Total Knee Arthroplasty Following Failed Oxford Unicompartmental Knee Arthroplasty.

Cureus. 2023Sep12;15(9):e45104.doi: 10.7759/cureus.45104. eCollection 2023 Sep.

Hiranaka T,Fujishiro T,Koide M,Okamoto K. Kinematically Aligned Oxford Unicompartmental Knee Arthroplasty Using the Microplasty Instrumentation System.

Clin Orthop Surg. 2023 Aug;15(4):690-694.doi: 10.4055/cios22205. Epub 2023 Jul 13.

Kitazawa D,Hiranaka T,Shigemoto R,Anjiki K,Fujishiro T,Okamoto K. Trans patellar tendon sagittal tibial cut for lateral unicompartmental knee arthroplasty-location of the split- CT simulation study. J

Orthop Sci. 2023 Jul;28(4):829-831.doi: 10.1016/j.jos.2022.04.009. Epub 2022 May 12.

Tanaka A,Hiranaka T,Fujishiro T,Koide M,Suda Y,Saito A,Arimoto A,Okamoto K. Incomplete Screw Thread Engagement of Proximal Fragment: A Possible Failure Risk After Internal Fixation for Femoral Neck Fractures. Cureus. 2023 Jul 4;15(7):e41349.doi: 10.7759/cureus.41349. eCollection 2023 Jul.

Suda Y, Hiranaka T,Kamenaga T, Fujishiro T, Okamoto K,Matsumoto T. Mobile bearing orbit on the tibial component in Oxford unicompartmental knee arthroplasty. Knee.2023 Jun;42:136-142.doi:

10.1016/j.knee.2023.03.003. Epub 2023 Mar 29.

Nagata N,Hiranaka T,Okamoto K,Fujishiro T,Tanaka T,Anjiki K,Kitazawa D,Kotoura K. Is simultaneous bilateral unicompartmental knee arthroplasty and total knee arthroplasty better than simultaneous bilateral total knee arthroplasty? Knee Surg Relat Res.2023 Apr 27;35(1):12.doi: 10.1186/s43019-023-00183-5.

2022 年度

Hiranaka T,Suda Y,Kamenaga T,Fujishiro T,Koide M,Okamoto K. Bearings can dislocate with smaller femoral components and thicker bearings in Oxford™ medial unicompartmental knee arthroplasty. *Orthop Traumatol Surg Res.* 2023 Mar 16;103598. doi: 10.1016/j.otsr.2023.103598. Online ahead of print.

Saitoh A,Hiranaka T,Arimoto A,Tanaka A,Suda Y,Koide M,Fujishiro T,Okamoto K. Intraoperative avulsion fracture of the intercondylar eminence in Oxford mobile-bearing unicompartmental knee arthroplasty: Case report.*Knee.* 2023 Jan;40:220-226. doi: 10.1016/j.knee.2022.11.017. Epub 2022 Dec 10.

Kuroda Y,Hashimoto S,Hayashi S,Nakano N,Fujishiro T,Hiranaka T,Kuroda R,Matsumoto T. Fully hydroxyapatite-coated compaction broached and triple-tapered stem may reduce the risk of stress shielding after primary total hip arthroplasty. *Arch Orthop Trauma Surg.* 2022 Dec;142(12):4087-4093. doi: 10.1007/s00402-021-04308-x. Epub 2022 Jan 23.

田中惇貴, 平中崇文, 栖田慶仁, 齋藤亮, 藤代高明. UKA 術後脛骨外顆骨折が生じた 2 例. 日本人工関節学会. 52 355-6

Tanaka T,Suda Y,Kamenaga T,Saito A,Fujishiro T,Okamoto K,Hiranaka T. Intramedullary rod insertion places the femoral component more laterally during Oxford medial unicompartmental knee arthroplasty. *Knee Surg Relat Res.* 2022 Nov 11;34(1):43. doi: 10.1186/s43019-022-00171-1.

Hiranaka T,William F M Jackson,Fujishiro T,Suda Y,Araki S,Kamenaga T,Koide M,Okamoto K. The Lateral Malleolus Is a Simple and Reliable Landmark that Can Be Used to Reliably Perform Restricted Kinematically Aligned Total Knee Arthroplasty-Anatomical and Clinical Studies in Japanese Population. *J Knee Surg.* 2022 Dec 31. doi: 10.1055/a-1965-4361. Online ahead of print

Suda Y,Hiranaka T,Kamenaga T,Koide M,Fujishiro T,Okamoto K,Matsumoto T. Varus placement of the tibial component of Oxford unicompartmental knee arthroplasty decreases the risk of postoperative tibial fracture. *Bone Joint J.* 2022 Oct;104-B(10):1118-1125. doi: 10.1302/0301-620X.104B10.BJJ-2021-1508.R2.

Kamenaga T,Hiranaka T,Okimura K,Fujishiro T,Okamoto K. Contralateral knee flexion predicts postoperative knee flexion in unilateral total knee arthroplasty: A retrospective study. *Orthop Traumatol Surg Res.* 2022 Sep;108(5):103218. doi: 10.1016/j.otsr.2022.103218. Epub 2022 Jan 31.

業績 (論文)

Onoi Y, Hiranaka T, Hida Y, Fujishiro T, Okamoto K, Matsumoto T, Kuroda R. Second-Look Arthroscopic Findings and Clinical Outcomes after Adipose-Derived Regenerative Cell Injection in Knee Osteoarthritis. *Clin Orthop Surg*. 2022 Sep;14(3):377-385. doi: 10.4055/cios20312. Epub 2022 Feb 7.

Hiranaka T, Fujishiro T, Koide M, Okamoto K. Kinematic Alignment Bi-unicompartamental Knee Arthroplasty With Oxford Partial Knees: A Technical Note. *Cureus*. 2022 Aug 29;14(8):e28556. doi: 10.7759/cureus.28556. eCollection 2022 Aug.

Fujita M, Hayashi S, Kamenaga T, Fujishiro T, Matsumoto T, Kuroda R. LIGAMENT PRESERVING TOTAL HIP ARTHROPLASTY PREVENTS DIFFERENT LEG LENGTH AND FEMORAL OFFSET. *ActaOrtopBras*. 2022 Jul 6;30(spe1):e242758. doi:10.1590/1413785220223001e242758. eCollection 2022.

Hiranaka T, Suda Y, Saitoh A, Tanaka A, Arimoto A, Koide M, Fujishiro T, Okamoto K. Current concept of kinematic alignment total knee arthroplasty and its derivatives. *Bone Jt Open*. 2022 May;3(5):390-397. doi: 10.1302/2633-1462.35.BJO-2022-0021.R2.

Hiranaka T, Tanaka T, Fujishiro T, Anjiki K, Nagata N, Kitazawa D, Kotoura K, Okamoto K. A subcutaneous arthroscopic portal closure technique without thread exposure. *Eur J Orthop Surg Traumatol*. 2020 Feb;30(2):383-385. doi: 10.1007/s00590-019-02573-6. Epub 2019 Oct 9.

Hiranaka T, Suda Y, Saitoh A, Koide M, Tanaka A, Arimoto A, Fujishiro T, Okamoto K. Infographic: Three key elements of kinematic alignment total knee arthroplasty for clarified understanding of its approaches. *Bone Joint Res*. 2022 Apr;11(4):226-228. doi: 10.1302/2046-3758.114.BJR-2021-0543.R1.

2021 年度

Hiranaka T, Suda Y, Kamenaga T, Fujishiro T, Koide M, Saitoh A, Tanaka A, Arimoto A, Okamoto K. Bearing Separation From the Lateral Wall of the Tibial Component Is a Risk of Anterior Dislocation of the Mobile Bearing in Oxford Unicompartmental Knee Arthroplasty. *J Arthroplasty*. 2022 May;37(5):942-7. doi: 10.1016/j.arth.2022.01.020. Epub 2022 Jan 22.. PMID: 35074447.

Kamenaga T, Hiranaka T, Nakano N, Hayashi S, Fujishiro T, Okamoto K, Kuroda R, Matsumoto T. Short distance from the keel to the posterior tibial cortex is associated with fracture after cementless Oxford UKA in Asian patients. *Knee Surg Sports Traumatol Arthrosc*. 2022 Apr;30(4):1220-30. doi: 10.1007/s00167-021-06553-4. Epub 2021 Apr 7. PMID: 33825909.

Suda Y, Hiranaka T, Kamenaga T, Okimura K, Koide M, Fujishiro T, Saitoh A, Tanaka A, Arimoto A, Okamoto K. Approximately 80% of Japanese osteoarthritic patients fall out of the safety range in restricted kinematically-aligned total knee arthroplasty in an analysis of preoperative long-leg radiograms. *Knee*. 2022 Mar;35:54-60. doi: 10.1016/j.knee.2022.02.008. Epub 2022 Feb 24. PMID: 35220133.

Araki S, Hiranaka T, Okimura K, Fujishiro T, Okamoto K. Correction to: Approximately 41% of knees have a looser gap in full extension than in 20° flexion after Oxford unicompartmental arthroplasty. *Arch Orthop Trauma Surg*. 2022 Feb 25. doi: 10.1007/s00402-022-04378-5. Online ahead of print. PMID: 35212805.

Kamenaga T, Hiranaka T, Okimura K, Fujishiro T, Okamoto K. Contralateral knee flexion predicts postoperative knee flexion in unilateral total knee arthroplasty: A retrospective study. *Orthop Traumatol Surg Res*. 2022 Jan 31:103218. doi: 10.1016/j.otsr.2022.103218. Online ahead of print. PMID: 35093564.

Kuroda Y, Hashimoto S, Hayashi S, Nakano N, Fujishiro T, Hiranaka T, Kuroda R, Matsumoto T. Fully hydroxyapatite-coated compaction broached and triple-tapered stem may reduce the risk of stress shielding after primary total hip arthroplasty. *Arch Orthop Trauma Surg*. 2022 Jan 23. doi: 10.1007/s00402-021-04308-x. Online ahead of print. PMID: 35066641.

Araki S, Hiranaka T, Okimura K, Fujishiro T, Okamoto K. Approximately 41% of knees have a looser gap in full extension than in 20° flexion after Oxford unicompartmental arthroplasty. *Arch Orthop Trauma Surg*. 2022 Jan 18. doi: 10.1007/s00402-022-04350-3. Online ahead of print. PMID: 35041083.

Hiranaka T, Tanaka T, Okimura K, Fujishiro T, Shigemoto R, Araki S, Okada R, Nako R, Okamoto K. Clinical Results of Dual SC Screw: A Mini-Sliding Hip Screw with an Anti-rotating Screw for Femoral Neck Fractures. *Clin Orthop Surg*. 2021 Dec;13(4):449-55. doi: 10.4055/cios20202. Epub 2021 Aug 17. PMID: 34868492; PMCID: PMC8609221.

岡田亮, 平中崇文, 置村健二郎, 藤代高明, 岡本剛治. 問題点の検討 Oxford 単顆型人工膝関節置換術後における脛骨骨折の保存的治療. *整形外科*. 2021;72(13):1371-4.

業績（論文）

荒木祥太郎, 平中崇文, 名古竜平, 岡田亮, 重本理花, 置村健二郎, 田中聡一, 藤代高明, 岡本剛治. 変形性膝関節症の日本人膝における HKAA と T-JLOA との関係. 愛仁会医学研究誌. 2021;52:10-3.

2020 年度

Hiranaka T, Tanaka T, Okimura K, Fujishiro T, Shigemoto R, Araki S, Okada R, Nako R, Kamenaga T, Okamoto K. Manipulation of Tibial Component to Ensure Avoidance of Bearing Separation from the Vertical Wall of Tibial Component in Oxford Unicompartmental Arthroplasty. *Clin Orthop Surg*. 2021 Mar;13(1):123-6. doi: 10.4055/cios20277. Epub 2021 Feb 15. PMID: 33747389; PMCID: PMC7948039.

Kikuchi K, Hiranaka T, Kamenaga T, Hida Y, Fujishiro T, Okamoto K. Anterior Cruciate Ligament Deficiency is Not Always a Contraindication for Medial Unicompartmental Knee Arthroplasty: A Retrospective Study in Nondesigner's Japanese Hospital. *J Arthroplasty*. 2021 Feb;36(2):495-500. doi: 10.1016/j.arth.2020.08.024. Epub 2020 Aug 18. PMID: 32912672.

Kamenaga T, Hiranaka T, Hida Y, Fujishiro T, Okamoto K. Clinical outcomes after unicompartmental knee arthroplasty for osteonecrosis of the knee. *Acta Ortop Bras*. 2021 Jan-Feb;29(1):12-6. doi: 10.1590/1413-785220212901233328. PMID: 33795962; PMCID: PMC7976869.

Nishida R, Hiranaka T, Kamenaga T, Hida Y, Fujishiro T, Okamoto K, Kuroda R, Matsumoto T. Impact of joint line orientation on clinical outcomes in bilateral Oxford mobile-bearing unicompartmental knee arthroplasty. *Knee*. 2021 Jan;28:186-93. doi: 10.1016/j.knee.2020.11.018. Epub 2020 Dec 30. PMID: 33387809.

Hiranaka T, Tanaka T, Fujishiro T, Anjiki K, Nagata N, Kitazawa D, Kotoura K, Okamoto K, Thar C. Is postoperative flexion angle genuinely better in unicompartmental knee arthroplasty than in total knee arthroplasty? A comparison between the knees in the same patients. *Knee*. 2020 Dec;27(6):1907-13. doi: 10.1016/j.knee.2020.09.011. Epub 2020 Nov 18. PMID: 33220580.

Hiranaka T, Tanaka T, Fujishiro T, Okimura K, Shigemoto R, Araki S, Okada R, Nako R, Okamoto K. A Novel Technique for Varus Tibial Cutting for Oxford Unicompartmental Knee Arthroplasty. *Clin Orthop Surg*. 2020 Dec;12(4):554-7. doi: 10.4055/cios20191. Epub 2020 Nov 18. PMID: 33274035; PMCID: PMC7683191.

Tanaka T, Hiranaka T, Okimura K, Fujishiro T, Okamoto K. Bilateral unicompartmental knee arthroplasty for windswept knee osteoarthritis: A report of 13 cases. *Knee*. 2020 Dec;27(6):1715-20. doi: 10.1016/j.knee.2020.10.004. Epub 2020 Nov 13. PMID: 33197809.

Anjiki K, Kamenaga T, Hayashi S, Hashimoto S, Kuroda Y, Nakano N, Fujishiro T, Hiranaka T, Niikura T, Kuroda R, Matsumoto T. Effectiveness of an accelerometer-based portable navigation for intraoperative adjustment of leg length discrepancy in total hip arthroplasty in the supine position. *J Orthop Sci*. 2020 Dec 16:S0949-2658(20)30343-2. doi: 10.1016/j.jos.2020.11.003. Online ahead of print. PMID: 33341355.

業績（論文）

Hiranaka T, Hida Y, Tanaka T, Okimura K, Fujishiro T, Okamoto K. Validation of the Macroscopic Anterior Cruciate Ligament Status Using the Oxford Classification System in Relation to Cartilage Defects on the Medial Tibial Plateau in Osteoarthritic Knees. *J Knee Surg.* 2020 Nov 11. doi: 10.1055/s-0040-1721032. Online ahead of print. PMID: 33176366.

Hiranaka T, Tanaka T, Fujishiro T, Anjiki K, Nagata N, Kitazawa D, Kotoura K, Okamoto K. The tibial lateral axis is a novel extraarticular landmark for detection of the tibial anteroposterior axis. *Surg Radiol Anat.* 2020 Oct;42(10):1195-202. doi: 10.1007/s00276-020-02513-8. Epub 2020 Jun 8. PMID: 32514589.

Tanaka T, Hiranaka T, Anjiki K, Fujishiro T, Okamoto K. MRI-determined preoperative lateral meniscus degeneration is not associated with adverse mid-term clinical results after mobile-bearing unicompartmental knee arthroplasty. *Knee.* 2020 Aug;27(4):1279-84. doi: 10.1016/j.knee.2020.06.011. Epub 2020 Jul 8. PMID: 32711892.

Yoshikawa R, Hiranaka T, Okamoto K, Fujishiro T, Hida Y, Kamenaga T, Sakai Y. The Medial Eminence Line for Predicting Tibial Fracture Risk after Unicompartmental Knee Arthroplasty. *Clin Orthop Surg.* 2020 Jun; 12(2): 166–70. doi: 10.4055/cios19011. Epub 2020 Apr 27. PMID: 32489537; PMCID: PMC7237250.

飛田祐一, 平中崇文, 尾ノ井勇磨, 藤田雅広, 藤代高明. 外側人工膝単顆置換術の術後短期成績. *JOSKAS.*2020;45(3):769-73.

北澤大也, 平中崇文, 田中聡一, 藤代高明, 岡本剛治. 経験と考察 外側型変形性膝関節症に対する外側専用単顆型人工膝関節の脛骨外側プラトーへの適合性. *整形外科.*2020 :71(5):419-21.

琴浦健, 岡本剛治, 藤代高明, 田中聡一, 安喰健祐, 長田尚介, 北澤大也, 平中崇文. オックスフォード型単顆膝人工関節置換術の術後合併症とその対策. *愛仁会医学研究誌.* 2020 ; 51:61-3.

2019 年度

Kamenaga T, Hayashi S, Hashimoto S, Takayama K, Fujishiro T, Hiranaka T, Kuroda R, Matsumoto T. Intraoperative pelvic movement is associated with the body mass index in patients undergoing total hip arthroplasty in the supine position. *J Orthop Sci.* 2020 May;25(3):446-451. doi: 10.1016/j.jos.2019.05.010. Epub 2019 Jun 4. PMID: 31174965.

Hayashi S, Hashimoto S, Takayama K, Matsumoto T, Kamenaga T, Fujishiro T, Hiranaka T, Niikura T, Kuroda R. Evaluation of the accuracy of acetabular cup orientation using the accelerometer-based portable navigation system. *J Orthop Sci.* 2020 Jul;25(4):612-7. doi: 10.1016/j.jos.2019.09.012. Epub 2019 Oct 13. PMID: 31619323.

Hiranaka T, Tanaka T, Fujishiro T, Anjiki K, Nagata N, Kitazawa D, Kotoura K, Okamoto K. A subcutaneous arthroscopic portal closure technique without thread exposure. *Eur J Orthop Surg Traumatol.* 2020 Feb;30(2):383-5.

Kamenaga T, Hiranaka T, Hida Y, Fujishiro T, Okamoto K. Morphometric analysis of medial and lateral tibia plateau and adaptability with Oxford partial knee replacement in a Japanese population. *J Orthop Surg (Hong Kong).* Jan-Apr 2020;28(2):2309499020919309.

Hiranaka T, Tanaka T, Fujishiro T, Anjiki K, Nagata N, Kitazawa D, Kotoura K, Okamoto K. A Modified Under-Vastus Approach for Knee Arthroplasty with Anatomical Repair of Soft Tissue. *Clin Orthop Surg.* 2019 Dec;11(4): 490-4.

Hayashi S, Hashimoto S, Takayama K, Matsumoto T, Kamenaga T, Fujishiro T, Hiranaka T, Niikura T, Kuroda R. Evaluation of the accuracy of acetabular cup orientation using the accelerometer-based portable navigation system. *J Orthop Sci.* 2019 Oct 13;S0949-2658(19):30287-8.

Onoi Y, Hiranaka T, Nishida R, Takase K, Fujita M, Hida Y, Fujishiro T, Okamoto K. Second-look arthroscopic findings of cartilage and meniscus repair after injection of adipose-derived regenerative cells in knee osteoarthritis: Report of two cases. *Regen Ther.* 2019 Aug 24;11:212-216.

Kamenaga T, Hayashi S, Hashimoto S, Matsumoto T, Takayama K, Fujishiro T, Hiranaka T, Niikura T, Kuroda R. Accuracy of cup orientation and learning curve of the accelerometer-based portable navigation system for total hip arthroplasty in the supine position. *J Orthop Surg (Hong Kong).* May-Aug 2019;27(2):2309499019848871.

琴浦健, 田中聡一, 岡本剛治, 藤代高明, 安喰健祐, 長田尚介, 北澤大也, 平中崇文. 人工膝関節全置換術施行例における前十字靭帯と外側大腿脛骨関節軟骨の状態についての検討. *臨床整形外科.* 2020 Feb;55(2):155-9.

2018 年度

Hiranaka T, Hida Y, Fujishiro T, Kamenaga T, Kikuchi K, Yoshikawa R, Tachibana S, Okamoto K. Approximately 30% of Functioning Anterior Cruciate Ligaments Are Sacrificed for Knee Arthroplasty. J Knee Surg. 2020 Jul;33(7):655-8. doi: 10.1055/s-0039-1683928. Epub 2019 Mar 25. PMID: 30912106.

Kamenaga T, Hiranaka T, Hida Y, Fujishiro T, Okamoto K. Rotational position of the tibial component can decrease coverage of the tibial component in Oxford mobile-bearing unicompartmental knee arthroplasty. Knee. 2019 Mar;26(2):459-65.

Hiranaka T, Yuichi H, Kamenaga T, Kikuchi K, Yoshikawa R, Tachibana S, Fujishiro T, Okamoto K, Approximately 30% of functioning anterior cruciate ligaments are sacrificed for knee arthroplasty. J Knee Surg. 2019 Mar 25. doi: 10.1055/s-0039-1683928. [Epub ahead of print]

Kamenaga T, Hiranaka T, Kikuchi K, Hida Y, Fujishiro T, Okamoto K. Influence of tibial component rotation on short-term clinical outcomes in Oxford mobile-bearing unicompartmental knee arthroplasty. Knee. 2018 Dec;25(6):1222-30..

Kamenaga T, Hiranaka T, Hida Y, Fujishiro T, Okamoto K. Effect of tibial component position on short-term clinical outcome in Oxford mobile bearing unicompartmental knee arthroplasty. J Orthop Sci. 2018 Sep;23(5):807-10.

Kamenaga T, Hiranaka T, Hida Y, Fujishiro T, Okamoto K. Unicompartmental knee arthroplasty for spontaneous osteonecrosis of the medial tibial plateau. Knee. 2018 Aug;25(4):715-21.

Nakanishi Y, Hiranaka T, Shirahama M, Uesugi M, Okimura K, Tsubosaka M, Shibata Y, Hida Y, Fujishiro T, Uemoto H. Ideal screw positions for multiple screw fixation in femoral neck fractures - Study of proximal femur morphology in a Japanese population. J Orthop Sci. 2018 May;23(3):521-4.

壺坂正徳, 平中崇文, 飛田祐一, 置村健二郎, 柴田洋作, 藤代高明. UKA における HLS Uni Evolution の使用経験について. JOSKAS. 2018;43(2):464-5.

置村健二郎, 平中崇文, 壺坂正徳, 飛田祐一, 藤代高明. Oxford UKA 後の脛骨骨折と脛骨の形態について. JOSKAS. 2018;43(2):462-3.

飛田祐一, 平中崇文, 壺坂正徳, 柴田洋作, 藤代高明. Mobile 型 UKA の矢状面動作解析と影響因子の検討. JOSKAS.2018;43(2):458-9.

2017 年度

Hiranaka T, Fujishiro T, Hida Y, Shibata Y, Tsubosaka M, Nakanishi Y, Okimura K, Uemoto H. Augmented reality: The use of the PicoLinker smart glasses improves wire insertion under fluoroscopy. World J Orthop. 2017 Dec 18;8(12):891-4.

Tsubosaka M, Hiranaka T, Okimura K, Nakanishi Y, Shibata Y, Hida Y, Fujishiro T, Uemoto H. Additional Visualization via Smart Glasses Improves Accuracy of Wire Insertion in Fracture Surgery. Surg Innov. 2017 Dec;24(6):611-5.

Hayashi S, Hirata Y, Okamoto D, Kakunai S, Hashimoto S, Takayama K, Matsumoto T, Niikura T, Fujishiro T, Hiranaka T, Nishida K, Kuroda R. New Proximal Femoral Compaction Blade Provides Strong Antirotation Stability of the Femoral Head. Orthopedics. 2017 May 1;40(3):e491-e494.

Hiranaka T, Nakanishi Y, Fujishiro T, Hida Y, Tsubosaka M, Shibata Y, Okimura K, Uemoto H. The Use of Smart Glasses for Surgical Video Streaming. Surg Innov. 2017 Apr;24(2):151-4.

置村健二郎, 平中崇文, 藤代高明, 飛田祐一, 柴田洋作, 壺坂正徳, 中西雄太, 上本晴信. Oxford Cementless UKA 後に脛骨骨折をきたした 5 例. 日本人工関節学会誌. 2017;47:207-8.

中西雄太, 平中崇文, 置村健二郎, 壺坂正徳, 柴田洋作, 飛田祐一, 藤代高明, 上本晴信. 超高齢者に対する両側同時単顆型人工膝関節置換術の術後経過の検討. 日本人工関節学会誌. 2017;47:205-6.

壺坂正徳, 平中崇文, 藤代高明, 飛田祐一, 柴田洋作, 中西雄太, 置村健二郎, 上本晴信. 単顆型人工膝関節置換術における脛骨矢状骨切り方向の指標として膝関節顆間窩内壁を用いた場合、その方向はどこに向かうのか? 日本人工関節学会誌. 2017;47:203-4.

柴田洋作, 平中崇文, 飛田祐一, 藤代高明, 壺坂正徳, 中西雄太, 置村健二郎, 上本晴信. 変形性膝関節症における脛骨内外側プラトーの形態解析. 日本人工関節学会誌. 2017;47:189-90.

平中崇文, 飛田祐一, 藤代高明, 柴田洋作, 中西雄太, 置村健二郎, 上本晴信. Oxford UKA における脛骨コンポーネントのキールと脛骨骨皮質との関係. 日本人工関節学会誌. 2017;47:504.

壺坂正徳, 平中崇文, 藤代高明, 飛田祐一, 柴田洋作, 中西雄太, 置村健二郎, 上本晴信. 単顆型人工膝関節置換術の脛骨コンポーネントの回旋アライメントについて. 日本人工関節学会誌. 2017;47:173-4.

飛田祐一, 平中崇文, 壺坂正徳, 柴田洋作, 藤代高明. Mobile 型 UKA における術後下肢アライメントが短期臨床成績に及ぼす影響. JOSKAS. 2017;42(3):737-43.

壺坂正徳, 平中崇文, 飛田祐一, 柴田洋作, 藤代高明. OxfordcementlessUKA の使用経験. JOSKAS. 2017;42(2):320-1.

業績（論文）

壺坂正徳, 平中崇文, 飛田祐一, 柴田洋作, 藤代高明. ACL 不全膝に対する OxfordUKA の短期成績. JOSKAS. 2017;42(2):318-9.

柴田洋作, 壺坂正徳, 飛田祐一, 藤代高明, 平中崇文. 外側型変形性膝関節症に対する単顆型人工膝関節置換術. JOSKAS. 2017;42(2):314-5.

飛田祐一, 平中崇文, 谷和泉, 貞光隆志, 藤代高明, 上本晴信. 人工膝関節置換術における患者立脚型評価による術後評価 ForgottenJointScore-12 を用いた検討. 整形外科. 2017;68(4):314-9.